### Table 1C

### 2011 Pediatric Nutrition Surveillance Colorado

### **Summary of Demographic Indicators**

Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	70,266
Total Records (All Visits)	87,769

Source of Data	Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other	70,266 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown: 0 0.0 %	70,266	100.0

(1)

Page:

Race/Ethnic Distribution	า	Number	%
White, Not Hispanic		21,870	31.1
Black, Not Hispanic		4,436	6.3
Hispanic		40,075	57.0
American Indian/Alaska Native		633	0.9
Asian/Pacific Islander		1,291	1.8
Multiple Races		1,947	2.8
All Other		0	0.0
Total Excluded Unknown: 14	* %	70,252	100.0

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	14,685 11,019 13,881 11,301 19,380	20.9 15.7 19.8 16.1 27.6
Total	70,266	100.0

% of Pove	erty Level		Number	%
0-50			20,321	30.3
51-100			24,755	37.0
101-130			10,803	16.1
131-150			4,827	7.2
151-185			5,616	8.4
186-200			176	0.3
Over 200			466	0.7
Adjunctive	Eligibility		0	0.0
Total			66,964 <sup>-</sup>	100.0
Excluded Unknown:	3,302	4.7 %		

Program Pa	rticipation	Number	%
WIC SNAP Medicaid TANF		70,266 58,234 58,234 58,234	23.0 64.9
Excluded Unki	nown:		
WIC SNAP Medicaid TANF		0 12,032 12,032 12,032	0.0 17.1 17.1 17.1

Migrant Sta	tus		Number	%_
Yes			21	*
No			70,245	100.0
				400.0
Total			70,266	100.0
Excluded	0	0.0 %		
Unknown				



<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Summary of Health Indicators Children Aged < 5 Years (2)

Summary of Health I	ndicators	(3)		
	Colorado Prevalence		Natior Prevale (Prior Y	nce
	Number	%	Number	%
Birthweight (4) Low High	21,982	9.4	1,851,546	9.0
	21,982	4.4	1,851,546	6.3
Height and Weight (5,6) < 5 Yrs Short Stature < 5 Yrs Underweight < 5 Yrs Obese	63,112	8.0	8,057,124	6.3
	63,112	2.7	8,057,124	3.6
	63,112	7.5	8,057,124	12.4
≥ 2 Yrs Overweight	27,529	14.2	3,572,939	16.1
≥ 2 Yrs Obese	27,529	10.0	3,572,939	14.4
Anemia (7) Low Hb Low Hct Low Hb/Hct	0	*	5,147,185	14.7
	0	*	435,650	10.9
	0	*	5,391,027	14.6
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Months Breastfed At Least 12 Months	20,017	78.4	1,689,615	63.2
	0	*	908,604	25.1
	0	*	1,069,942	16.9
Smoking in Household	48,946	2.9	4,203,554	9.4
≤ 2 Hours TV Viewing/ Day (9)	20,613	82.5	1,200,700	79.2

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.
- (5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.
- (6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of B	reastfeedin	g Indi	cators (3)	
	Colorado Prevaleno	-	Nationa Prevalend (Prior Yea	e
	Number	%	Number	%
Breastfeeding Duration (4,5)				
Ever Breastfed	20,017	78.4	1,689,615	63.2
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	0 0 0 0 0 0	* * * * * * * *	1,377,351 1,047,691 856,066 754,209 655,027 631,752 686,347 774,371 867,746 908,604	51.2 44.1 38.2
Breastfed 9+ Months Breastfed 12+ Months	0 0	*	987,191 1,069,942	20.4 16.9
Breastfed 18+ Months	0	*	794,365	10.9
Exclusive Breastfeeding (6)				
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0	*	363,039 466,279	10.7 6.1

<sup>(1)</sup> Reporting period is January 1 through December 31.



Page:

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

<sup>(5)</sup> It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 4C

### **2011 Pediatric Nutrition Surveillance** (1)

#### Colorado

#### Comparison of Racial and Ethnic Distribution by Contributor to Nation Children Aged < 5 Years (2)

**Comparison of Racial and Ethnic Distribution** American White, Not Black, Not Asian/Pacific Multiple Races All Other / Contributor Number Hispanic Indian/Alaska Hispanic Included in Hispanic Islander Unknown Native Analysis (3) % % 70,266 31.1 6.3 57.0 0.9 1.8 2.8 0.0 Colorado Nation 8,672,965 32.5 19.1 39.7 0.9 2.5 2.7 2.5 (Prior Year)



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 5C

33.7

### **2011 Pediatric Nutrition Surveillance** (1) Colorado

**Comparison of Age Distribution by Contributor to Nation** Children Aged < 5 Years (2)

	omaion Agod vo iv									
Comparison of Age Distribution										
Number Included in Analysis (3,4) %		12 - 23 Months %	24 - 59 Months %							
70,266	36.6	19.8	43.7							

22.1

Contributor

Colorado

(Prior Year)

Nation

8,672,965



Page:

44.2

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.(3) Excludes records with unknown data or errors.

<sup>(4)</sup> Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 6 Run Date: 9 / 13 / 12

#### Comparison of Growth and Anemia Indicators by Contributor to Nation Children Aged < 5 Years (2)

			Comparis	on of Gr	owth an	d Aner	nia Indi	cators		(3)			
		Birthweigh	t (4)		Height and Weight (5,6)						Anemia		
		Low	High		Short Stature	Under- weight		Ov	≥ 2 Yrs rerweight ar Obese	nd	_	lb/Hct	
Contributor	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% t Obese	Number	%	
Colorado	21,982	9.4	4.4	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*	
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6	



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

(2)

9 / 13 / 12

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation Children Aged < 5 Years (3)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and Sm	oking i	n Housel	nold <sub>(</sub>	4)		
	Breastfeeding (5)				Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)		Smoking in Household				
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Colorado	20,017	78.4	0	*	0	*	0	*	0	*	20,613	82.5	48,946	2.9
Nation (Prior Year)	1,689,6	15 63.2	908,604	25.1	1,069,94	42 16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household data are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

<sup>(7)</sup> Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 8 Run Date: 9 / 13 / 12

### Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2)

	Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Biı	thweight (4	1)			Height	and Wei	ght (5,6)					
		Low %	High %		Short Stature	Under- weight	Obese	Ov	> <u>2</u> Yrs /erweight and Obese	d	Anen Low Ht (7)	o/Hct	
	Number	<2500 g	>4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%	
Race/Ethnicity													
White, Not Hispanic	7,420	10.1	4.9	19,364	8.7	3.3	5.4	7,721	12.7	7.1	0	*	
Black, Not Hispanic	1,483	13.1	3.5	4,051	8.2	4.0	7.2	1,685	11.9	7.9	0	*	
Hispanic	11,905	8.5	4.3	36,239	7.5	2.1	8.7	16,589	15.2	11.7	0	*	
American Indian/Alaska Native	168	8.3	4.8	516	7.0	2.7	9.7	259	20.8	12.4	0	*	
Asian/Pacific Islander	478	8.4	2.5	1,209	10.1	4.5	4.5	476	10.1	6.3	0	*	
Multiple Races	520	10.0	4.4	1,723	8.8	2.4	6.7	797	12.3	9.0	0	*	
All Other	8	*	*	10	*	*	*	2	*	*	0	*	
Total	21,982	9.4	4.4	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*	
Age													
0 - 11 Months	_	_	_	23,104	11.7	2.5	4.2	_	*	*	0	*	
12 - 23 Months	-	-	-	12,479	8.5	0.9	7.8	_	*	*	0	*	
24 - 35 Months	-	-	-	10,156	5.3	3.6	8.8	10,156	13.5	8.8	0	*	
36 - 47 Months	-	-	-	9,561	4.5	3.6	10.2	9,561	14.5	10.2	0	*	
48 - 59 Months	-	-	-	7,812	4.1	3.6	11.4	7,812	14.6	11.4	0	*	
Total	_	-	-	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*	

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 9C 2011 Pediatric Nutrition Surveillance

Colorado

(1)

Page:

(2)

Run Date:

9/13/12

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age Children Aged < 5 Years

Breastfeeding,	TV Viewin	g, and S	Smokir	ng in Hous	sehold	by Race/	Ethnicity	or Ag	<b>e</b> (4)	_
			Brea	astfeeding (5)		<2 Hou TV/Vid Viewing/E	eo	Smoking in Household		
	Number B	Number % Ever Breastfed		Number % Breastfed At Least 6 Months		r % Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	6,758	79.8	0	*	0	*	5,361	86.1	14,055	4.6
Black, Not Hispanic	1,376	74.5	0	*	0	*	1,191	73.5	3,072	3.9
Hispanic	10,808	78.2	0	*	0	*	13,009	82.2	29,248	1.9
American Indian/Alaska Native	151	82.8	0	*	0	*	198	78.8	416	2.2
Asian/Pacific Islander	437	74.6	0	*	0	*	304	74.0	870	1.6
Multiple Races	479	75.2	0	*	0	*	549	80.0	1,276	6.0
All Other	8	*	0	*	0	*	1	*	9	*
Total	20,017	78.4	0	*	0	*	20,613	82.5	48,946	2.9
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	14,563	2.7
12 - 23 Months	-	-	-	-	-	-	0	*	10,547	3.1
24 - 35 Months	-	-	-	-	-	-	7,435	84.5	8,777	2.7
36 - 47 Months	-	-	-	-	-	-	7,245	81.3	8,285	3.3
48 - 59 Months	-	-	-	-	-	-	5,933	81.6	6,774	2.9
Total	20,017	78.4	0	*	0	*	20,613	82.5	48,946	2.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> TV Viewing and Smoking in Household are not reported by all contributors.

<sup>(3)</sup> Analyses based on one record per child.

<sup>(4)</sup> Excludes records with unknown data or errors.

<sup>(5)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>(6)</sup> Children aged 2 years and older included in the analysis

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 9 / 13 / 12

#### **Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown					
	7 trialyolo (o)	%	%	%	%	%	%	%					
2011	70,266	31.1	6.3	57.0	0.9	1.8	2.8	0.0					
2010	120,293	30.2	6.6	57.3	0.9	1.6	3.4	0.0					
2009	121,025	29.4	6.5	58.3	0.9	1.5	3.3	0.0					
2008	107,314	28.3	6.4	59.6	1.0	1.4	3.3	0.0					
2007	103,306	28.8	6.3	59.1	1.1	1.3	3.4	0.0					
2006	97,607	29.1	5.9	59.4	1.0	1.4	3.2	0.1					
2005	94,142	27.7	4.9	49.8	0.7	1.2	1.8	13.9					
2004	94,244	36.1	5.9	52.4	0.6	1.4	0.0	3.6					
2003	120,249	36.7	5.7	52.9	0.6	1.4	0.0	2.7					
2002	82,178	38.9	6.0	50.7	0.7	1.4	0.0	2.3					
2001	77,024	40.8	6.4	48.6	0.8	1.5	0.0	2.0					
2000	73,197	43.4	6.9	45.6	0.7	1.5	0.0	1.8					
1999	22,628	46.0	6.9	44.8	0.6	1.6	0.0	0.0					
1998	77,442	50.0	7.5	39.9	0.8	1.8	0.0	0.0					
1997	69,306	51.3	8.0	37.9	0.9	1.8	0.0	0.0					
1996	65,146	52.7	8.3	36.2	0.9	1.9	0.0	0.0					
1995	72,545	54.4	8.6	34.1	0.8	2.0	0.0	0.0					
1994	75,458	56.7	8.8	31.5	0.8	2.1	0.0	0.0					
1993	67,445	57.8	8.6	30.8	0.8	2.1	0.0	0.0					



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

**Summary of Trends in Racial and Ethnic Distribution** Children Aged < 5 Years (2)

Page:	11
Run Date:	9 / 13 / 12

		Sui	mmary of Trei	nds in Racial	and Ethnic Dis	stribution		
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaska Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown
	Analysis (3)	%	%	%	%	%	%	%
1992	59,856	57.3	8.4	31.4	0.9	1.9	0.0	0.0
1991	52,209	57.8	8.4	30.8	0.9	2.0	0.0	0.0
1990	51,166	57.9	8.4	30.8	0.9	1.9	0.0	0.0
1989	53,698	58.7	8.0	30.4	0.8	2.0	0.0	0.0
1988	47,847	59.4	6.8	30.8	0.8	2.2	0.0	0.0
1987	45,926	60.0	6.0	31.2	0.7	2.0	0.0	0.1
1986	41,244	59.2	5.1	32.8	0.6	2.2	0.0	0.1
1985	38,737	58.1	4.8	33.9	0.5	2.6	0.0	0.1
1984	35,850	56.5	4.4	35.4	0.5	3.1	0.0	0.1
1983	31,074	55.4	4.2	36.9	0.5	3.1	0.0	0.0
1982	27,860	52.0	4.1	40.0	0.5	3.3	0.0	0.0
1981	23,610	50.5	3.9	42.1	0.4	3.1	0.0	0.1
1980	23,983	51.6	4.0	42.0	0.4	2.0	0.0	0.1
1979	16,489	50.4	3.9	43.9	0.4	1.4	0.0	0.0
1978	3,106	57.6	1.7	38.4	0.3	1.4	0.0	0.5
1977	5	*	*	*	*	*	*	*
1976	1	*	*	*	*	*	*	*
1975	3	*	*	*	*	*	*	*



<sup>(1)</sup> Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.</li>

**Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

	Summa	ry of Trends in Age	Distribution (3)	
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2011	70,266	36.6	19.8	43.7
2010	120,293	37.7	18.4	43.9
2009	121,025	38.0	19.0	43.0
2008	107,314	39.2	19.9	40.8
2007	103,306	42.0	18.6	39.4
2006	97,607	42.6	18.9	38.5
2005	94,142	42.2	19.4	38.4
2004	94,244	41.0	19.9	39.0
2003	120,249	36.2	21.1	42.7
2002	82,178	38.5	21.2	40.4
2001	77,024	38.0	21.7	40.3
2000	73,197	36.8	22.6	40.6
1999	22,628	31.7	22.6	45.7
1998	77,442	36.8	21.3	41.8
1997	69,306	37.8	20.5	41.7
1996	65,146	36.2	20.6	43.2
1995	72,545	31.4	23.3	45.3
1994	75,458	33.9	22.6	43.5

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summa	ry of Trends in Age	Distribution (3)	
Year	Number	0-11 Months	12-23 Months	24-59 Months
	Included in Analysis (4)	%	%	%
1993	67,445	35.0	23.4	41.6
1992	59,856	38.3	24.6	37.1
1991	52,209	41.4	25.9	32.7
1990	51,166	36.4	23.4	40.2
1989	53,698	34.1	23.3	42.7
1988	47,847	35.3	25.0	39.7
1987	45,926	38.3	22.7	39.0
1986	41,244	39.7	21.6	38.8
1985	38,737	36.7	20.0	43.3
1984	35,850	36.0	21.8	42.3
1983	31,074	38.4	22.3	39.3
1982	27,860	36.9	20.8	42.3
1981	23,610	37.8	21.7	40.6
1980	23,983	36.8	20.8	42.4
1979	16,489	37.4	20.7	41.9
1978	3,106	34.7	21.9	43.4
1977	5	*	*	*

1976

1



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### **Summary of Trends in Age Distribution** Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)											
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %							
1975	3	*	*	*							



Page:

<sup>(1)</sup> Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

<sup>(3)</sup> Records rejected if date of birth and date of visit unknown.

<sup>(4)</sup> Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 15 Run Date: 9/13/2012

		S	ummary	of Tren	ds in C	Frowth	and A	nemia In	dicator	's <sup>(3)</sup>		
	В	irthweight (	4)			Height	and Wei	ght (5,6)			Anemia Low Hb/Hct (7)	
Year		Low	High		Short Stature	Under- weight	Obese	Ove	>_2 Yrs erweight ar Obese	nd		
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number O	% verweight	% Obese	Number	%
2011	21,982	9.4	4.4	63,112	8.0	2.7	7.5	27,529	14.2	10.0	0	*
2010	27,885	9.7	4.3	119,363	8.3	2.3	7.5	52,292	14.1	9.1	71,978	12.4
2009	28,949	9.3	4.5	120,028	8.0	2.3	7.5	51,659	14.5	9.0	72,602	13.1
2008	28,282	9.8	4.2	106,404	8.4	2.2	7.3	43,476	14.4	9.4	58,958	11.9
2007	27,307	10.1	4.5	102,358	8.6	2.1	7.3	40,432	14.6	9.7	57,157	12.6
2006	26,634	10.1	4.6	96,683	8.7	2.3	7.2	37,111	14.7	9.6	51,974	12.1
2005	25,116	10.2	4.4	93,297	8.7	2.0	7.6	35,758	15.0	9.7	49,072	10.2
2004	24,576	10.0	4.7	92,763	8.5	2.2	7.7	36,113	14.6	9.6	50,135	7.5
2003	32,258	10.2	4.9	118,736	8.4	2.8	7.8	50,773	13.6	9.4	51,116	7.8
2002	23,891	9.8	5.0	81,289	8.9	3.2	7.4	32,878	13.3	8.7	45,253	7.4

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 16 Run Date: 9/13/2012

		S	ummary	of Trer	nds in C	Growth	and A	nemia In	dicator	<b>'s</b> (3)		
	В	irthweight (	4)			Height	and Wei	ght (5,6)			Anemia - Low Hb/Hct (7)	
Year		Low	High		Short Stature	Under- weight	Obese	Ove	>_2 Yrs erweight ar Obese	nd		
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number O	% verweight	% Obese	Number	%
2001	22,099	9.9	4.9	76,184	8.9	3.1	7.1	30,790	12.8	8.5	41,667	7.1
2000	21,128	9.8	5.1	72,192	13.4	2.3	11.7	29,384	16.2	11.0	39,934	6.6
1999	5,964	9.4	4.8	22,393	13.1	2.2	12.1	10,258	15.8	11.8	10,612	6.5
1998	20,952	9.7	5.3	76,371	13.5	2.5	11.0	32,141	15.6	10.0	44,640	6.4
1997	16,185	10.3	5.1	68,219	13.0	2.4	10.5	28,622	15.1	9.7	44,668	7.0
1996	14,920	11.3	5.0	63,385	13.4	2.5	10.4	27,381	14.7	9.1	39,531	7.0
1995	15,629	10.5	5.1	69,545	14.5	3.2	8.6	32,222	13.7	7.7	43,982	7.2
1994	18,759	10.3	5.1	71,835	13.3	3.9	6.7	32,413	12.0	6.5	47,451	6.9
1993	17,482	10.1	5.0	65,487	10.4	4.2	6.1	27,609	10.8	6.0	41,506	7.3
1992	16,960	10.1	5.3	57,980	10.4	4.3	5.7	21,861	10.4	5.7	36,258	8.4

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 17 Run Date: 9/13/2012

		S	ummary	of Trer	nds in C	Growth	and A	nemia In	dicator	<b>'s</b> (3)		
	В	irthweight (	4)			Height	and Wei	ght (5,6)			Anemia Low Hb/Hct	
Year		Low	High		Short Stature	Under- weight	Obese		>_2 Yrs erweight ar Obese	nd	(7)	
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number Ov	% verweight	% Obese	Number	%
1991	15,729	10.2	5.0	50,384	11.0	5.5	5.4	16,839	9.9	5.5	30,838	8.6
1990	12,845	9.6	5.2	49,232	10.6	5.7	5.0	20,175	9.4	4.6	31,275	7.8
1989	12,959	9.4	5.7	52,417	9.9	4.8	4.8	22,657	9.5	4.6	34,359	8.0
1988	12,230	9.4	5.6	46,820	9.9	5.1	4.6	18,871	9.2	4.5	31,031	8.0
1987	11,194	9.4	5.8	45,072	10.1	4.9	4.4	17,742	9.0	4.6	30,061	7.6
1986	10,245	9.3	5.4	40,551	9.3	6.8	4.8	15,884	10.2	4.3	27,801	8.3
1985	8,636	9.8	5.2	38,066	10.4	4.8	4.5	16,611	9.7	4.6	27,615	7.8
1984	8,024	9.8	5.5	35,286	11.0	4.6	4.7	15,013	10.1	5.0	26,327	9.3
1983	7,569	10.0	5.0	30,533	11.8	5.4	4.7	12,108	10.4	4.9	23,099	13.0
1982	6,628	10.0	5.2	27,396	11.5	5.3	4.7	11,696	10.7	5.2	21,657	13.2

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 18 Run Date: 9/13/2012

		S	ummary	of Trer	nds in C	Growth	and A	nemia In	dicator	<b>s</b> (3)		
	Bi	rthweight (4	4)		Height and Weight (5,6)							mia h/Uot
Year		Low	High		Short Under- Obese > 2 Yrs Stature weight Overweight and Obese					Low Hb/Hct (7)		
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number Ov	% rerweight	% Obese	Number	%
1981	5,582	10.9	5.4	23,114	12.6	6.0	5.2	9,492	11.5	5.8	18,108	14.3
1980	5,665	10.1	5.4	23,128	11.2	7.4	5.4	10,006	11.2	5.9	18,294	13.5
1979	4,194	10.9	6.0	15,687	12.1	6.5	5.7	6,786	11.6	6.4	12,251	14.9
1978	692	10.5	4.0	2,976	12.7	5.7	4.6	1,319	12.1	6.0	720	12.9
1977	0	*	*	1	*	*	*	0	*	*	1	*
1976	0	*	*	0	*	*	*	0	*	*	0	*
1975	0	*	*	1	*	*	*	0	*	*	1	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	)
				etfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2011	20,017	78.4	0	*	0	*
2010	27,904	77.5	23,743	29.1	16,960	19.2
2009	28,980	76.4	24,290	29.6	18,051	18.9
2008	28,304	75.3	23,561	28.1	17,780	16.1
2007	27,324	74.3	22,242	26.8	15,444	16.6
2006	26,660	74.2	20,820	28.9	14,266	18.5
2005	25,138	73.5	20,393	28.5	14,346	19.0
2004	24,603	72.6	20,202	27.2	15,287	17.1
2003	32,308	70.1	17,517	26.9	15,565	15.4
2002	23,900	70.7	8,149	25.7	11,577	13.2

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 9/13/2012

<sup>(2)</sup> Analyses based on one record per child.


<sup>(3)</sup> Excludes records with unknown data or errors.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	)
				etfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2001	22,109	69.7	7,922	25.6	11,320	12.8
2000	21,139	68.1	7,716	23.8	11,342	12.6
1999	5,967	67.6	3,688	22.6	4,709	14.6
1998	20,962	66.9	7,735	23.7	11,165	14.0
1997	16,204	66.4	15,120	24.9	10,873	15.1
1996	14,934	64.9	12,319	23.7	9,662	12.5
1995	16,039	66.1	9,086	22.2	9,645	10.6
1994	19,443	74.2	8,636	21.6	11,566	11.3
1993	18,320	65.0	6,630	16.7	9,147	9.0
1992	17,663	58.1	6,198	15.7	8,158	8.5

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 9/13/2012


<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	)
				stfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1991	16,204	49.6	6,233	13.5	8,687	6.8
1990	600	63.8	117	4.3	143	0.0
1989	17	*	0	*	0	*

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.





Page:

Run Date: 9/13/2012

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

# Table 14C 2011 Pediatric Nutrition Surveillance Colorado Children Aged < 5 Years

Page: 22 Run Date: 9 / 13 / 12

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



# Table 15C 2011 Pediatric Nutrition Surveillance Colorado Children Aged < 5 Years

Page: 23 Run Date: 9 / 13 / 12

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.



Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 24 Run Date: 9/13/2012

	G	Frowth Inc	dicators by F	Race/Ethr	nicity and A	ge <sup>(3)</sup>			
	Short S		Underw (4,5		Obes (4,5)	-	≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
White, Not Hispanic									
0 - 11 Months	7,743	12.4	7,743	3.6	7,743	3.5	0	0.0	0.0
12 - 23 Months	3,900	8.6	3,900	1.1	3,900	5.7	0	0.0	0.0
24 - 59 Months	7,721	5.2	7,721	4.2	7,721	7.1	7,721	12.7	7.1
Total	19,364	8.7	19,364	3.3	19,364	5.4	7,721	12.7	7.1
Black, Not Hispanic									
0 - 11 Months	1,584	13.6	1,584	2.3	1,584	6.1	0	0.0	0.0
12 - 23 Months	782	9.3	782	1.5	782	7.7	0	0.0	0.0
24 - 59 Months	1,685	2.6	1,685	6.8	1,685	7.9	1,685	11.9	7.9
Total	4,051	8.2	4,051	4.0	4,051	7.2	1,685	11.9	7.9
Hispanic									
0 - 11 Months	12,529	10.9	12,529	1.9	12,529	4.6	0	0.0	0.0
12 - 23 Months	7,121	8.4	7,121	0.6	7,121	9.0	0	0.0	0.0
24 - 59 Months	16,589	4.5	16,589	2.9	16,589	11.7	16,589	15.2	11.7
Total	36,239	7.5	36,239	2.1	36,239	8.7	16,589	15.2	11.7
American Indian/Alaska Native									
0 - 11 Months	164	9.8	164	2.4	164	4.9	0	0.0	0.0
12 - 23 Months	93	*	93	*	93	*	0	*	*
24 - 59 Months	259	6.6	259	3.1	259	12.4	259	20.8	12.4
Total	516	7.0	516	2.7	516	9.7	259	20.8	12.4

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 25 Run Date: 9/13/2012

	G	Frowth Inc	dicators by F	Race/Ethr	icity and Ag	je <sup>(3)</sup>			
	Short S		Underw (4,5		Obese (4,5)	9	≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
Asian/Pacific Islander									
0 - 11 Months	505	12.5	505	3.4	505	3.0	0	0.0	0.0
12 - 23 Months	228	11.0	228	2.6	228	3.9	0	0.0	0.0
24 - 59 Months	476	7.1	476	6.7	476	6.3	476	10.1	6.3
Total	1,209	10.1	1,209	4.5	1,209	4.5	476	10.1	6.3
Multiple Races									
0 - 11 Months	572	13.8	572	2.1	572	3.1	0	0.0	0.0
12 - 23 Months	354	8.5	354	0.8	354	7.3	0	0.0	0.0
24 - 59 Months	797	5.4	797	3.3	797	9.0	797	12.3	9.0
Total	1,723	8.8	1,723	2.4	1,723	6.7	797	12.3	9.0
All Other/Unknown									
0 - 11 Months	7	*	7	*	7	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
Total	10	*	10	*	10	*	2	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	23,104	11.7	23,104	2.5	23,104	4.2	0	0.0	0.0
12 - 23 Months	12,479	8.5	12,479	0.9	12,479	7.8	0	0.0	0.0
24 - 59 Months	27,529	4.6	27,529	3.6	27,529	10.0	27,529	14.2	10.0
Total	63,112	8.0	63,112	2.7	63,112	7.5	27,529	14.2	10.0

<sup>(1)</sup> Reporting period is January 1 through December 31.



<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 26 Run Date: 9 / 13 / 12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4	)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*
Black, Not Hispanic			Multiple Races		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*
Hispanic			All Other/Unknown		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 27 Run Date: 9 / 13 / 12

Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Ane	mia
			Low	High		Short Stature	Under- weight	Obese	Over	≥ 2 Yrs weight and Obe	ese	Low Hb/Hct (7)	
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
White, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	7,420 9,013 9,190 8,468 8,287 7,787 6,682 8,504 11,438 8,651	10.1 10.7 10.1 10.2 10.8 10.7 10.8 11.2 10.9 10.6	4.9 4.3 4.6 4.1 5.0 4.8 4.4 4.1 4.6 4.7	19,364 36,047 35,318 30,179 29,543 28,177 25,897 33,572 43,591 31,676	8.7 9.1 9.1 9.6 9.9 9.7 9.6 9.4 9.1 9.3	3.3 2.6 2.5 2.5 2.4 2.8 2.4 2.8 3.3 3.7	5.4 5.4 5.5 5.6 5.5 5.5 5.7 6.3 6.0 5.6	7,721 14,617 14,193 11,529 11,148 10,719 10,461 13,548 19,268 13,421	12.7 12.3 12.8 13.0 13.4 13.9 13.9 13.9 12.9	7.1 6.3 6.2 6.9 6.7 7.1 7.4 6.8 6.5	0 20,291 20,083 15,589 15,344 14,481 13,293 17,601 18,842 17,924	* 11.6 12.1 10.9 11.5 10.3 9.0 6.2 6.9 6.0
Black, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,483 2,062 2,068 1,976 1,934 1,812 1,484 1,651 2,200 1,554	13.1 14.1 12.8 15.5 15.2 17.2 15.7 15.7 15.5 12.9	3.5 3.3 3.1 2.1 3.2 2.5 3.2 2.7 3.5 3.7	4,051 7,796 7,728 6,773 6,407 5,643 4,510 5,408 6,760 4,895	8.2 8.9 8.5 9.8 10.0 11.0 10.4 11.2 9.9	4.0 3.9 3.8 3.8 3.3 3.5 3.2 3.3 3.8 4.4	7.2 7.0 6.9 6.6 5.7 5.4 6.4 6.0 7.2 6.9	1,685 3,155 3,048 2,491 2,256 1,800 1,457 1,775 2,517 1,836	11.9 11.2 12.5 10.9 10.8 12.1 12.8 11.8 10.6 10.9	7.9 7.1 7.2 6.5 6.5 6.5 6.7 6.3 6.2 6.0	0 4,564 4,609 3,626 3,226 2,673 2,082 2,534 2,640 2,576	* 18.4 19.7 18.1 20.5 20.3 13.6 9.2 11.1 8.6

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 9 / 13 / 12

	Sumi	mary of 1	rends ir	n Growtl	h and Ar	nemia In	dicato	rs by F	Race/Eth	nicity (3)			
Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Ane	mia
			Low	High		Short Stature	Under- weight	Obese	Oven	≥ 2 Yrs weight and Obe	ese	Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	11,905 15,264 16,183 16,435 15,656 15,630 12,831 12,865 16,807 12,556	8.5 8.3 8.2 8.8 8.9 8.8 9.0 8.5 9.1 8.9	4.3 4.5 4.6 4.7 4.6 4.8 4.5 5.3 5.2 5.5	36,239 68,412 69,988 63,397 60,503 57,457 46,428 48,534 62,719 41,138	7.5 7.6 7.3 7.7 7.8 7.9 7.9 7.6 7.7	2.1 1.9 1.9 1.8 1.8 1.9 1.7 1.7 2.2	8.7 8.7 8.7 8.3 8.4 8.3 8.6 8.9 9.1	16,589 31,231 31,269 26,866 24,640 22,459 18,384 19,015 26,847 16,321	15.2 15.5 15.6 15.3 15.5 16.2 15.3 14.6 14.4	11.7 10.7 10.6 10.8 11.4 11.2 11.0 11.5 11.4 10.7	0 42,795 43,586 36,415 35,361 31,956 25,657 27,419 27,383 22,851	* 12.0 12.7 11.7 12.3 12.2 10.1 8.0 8.2 8.2
American Indian/Alaska Native	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	168 202 231 206 243 268 182 128 195 144	8.3 11.4 7.8 6.3 9.1 14.9 8.8 7.8 11.8 7.6	4.8 4.5 6.5 4.4 8.2 5.6 6.0 3.9 8.7 5.6	516 1,046 1,138 1,066 1,073 937 679 586 740 577	7.0 6.1 6.7 6.0 6.6 6.9 6.6 5.8 6.8 5.7	2.7 3.3 2.2 1.3 1.5 2.6 1.5 1.0 0.9 1.4	9.7 8.9 8.5 9.4 7.8 9.1 13.0 14.7 13.9	259 508 553 501 460 369 288 237 335 240	20.8 15.6 15.4 15.8 17.4 13.6 12.2 21.9 13.1 17.9	12.4 11.4 9.4 12.2 11.1 13.0 16.7 16.9 18.8 16.3	0 690 721 642 674 521 395 364 316 340	* 12.9 14.1 12.8 11.7 13.6 8.6 5.2 6.3 10.9

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 9 / 13 / 12

	Sumi	mary of T	Trends ir	n Growtl	h and Ar	nemia In	dicato	rs by F	Race/Eth	nicity (3)			
Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Ane	mia
			Low	High		Short Stature	Under- weight	Obese	Oven	≥ 2 Yrs weight and Obe	ese	Low F	lb/Hct
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Asian/Pacific Islander	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	478 483 482 398 380 408 358 341 564 382	8.4 10.1 9.8 11.6 10.5 11.0 14.0 10.0 9.0 8.9	2.5 2.7 3.1 2.5 2.9 3.2 3.6 3.2 3.9 1.0	1,209 1,933 1,813 1,475 1,350 1,347 1,144 1,292 1,707 1,130	10.1 10.9 11.0 10.4 9.8 9.9 9.9 8.8 10.3 9.8	4.5 4.4 3.9 3.7 2.9 3.2 2.9 3.1 4.3 4.3	4.5 4.9 5.2 5.0 5.5 6.6 7.3 6.1 5.6 6.6	476 795 704 571 485 456 385 435 607 384	10.1 9.6 10.7 11.9 10.3 10.1 14.0 13.3 10.5 12.0	6.3 5.2 6.1 7.5 7.8 10.3 11.4 9.0 7.4 8.9	0 1,149 1,076 817 731 669 553 693 694 566	* 15.8 16.2 13.6 11.9 12.0 11.2 8.2 6.9 9.4
Multiple Races	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	520 842 776 781 793 707 573 0 0	10.0 12.5 11.0 11.8 13.9 12.0 11.5	4.4 4.8 3.5 3.2 2.3 3.3 4.5	1,723 4,093 3,991 3,487 3,442 3,081 1,677 0 0	8.8 9.5 8.0 9.0 9.7 8.6 11.0	2.4 2.8 2.3 2.8 2.6 2.9 2.9	6.7 7.0 7.0 6.2 6.9 6.9 7.2	797 1,982 1,887 1,517 1,435 1,305 624 0 0	12.3 12.8 13.1 14.4 14.4 12.1 13.6	9.0 8.3 7.6 8.0 8.2 7.9 8.7 *	0 2,479 2,512 1,866 1,808 1,661 831 0 0	12.5 13.5 12.2 14.2 12.2 10.8

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis. Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 30 Run Date: 9 / 13 / 12

Race/Ethnicity and Year		E	Birthweight	(4)			Heigh	t and We	ight (5,6)			Aner	mia
			Low	High		Short Stature	Under- weight	Obese	Oven	≥ 2 Yrs weight and Obe	ese	Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
All Other/Unknown	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	8 19 19 18 14 22 3,006 1,087 1,054 604	* * * 10.1 10.9 8.7 10.8	* * * 5.0 5.3 4.6 6.6	10 36 52 27 40 41 12,962 3,371 3,219 1,873	* * * 9.0 8.7 8.4 10.8	* * * * 2.1 2.3 3.6 4.9	* * * * * 7.8 6.3 7.0 7.0	2 4 5 1 8 3 4,159 1,103 1,199 676	* * * 13.8 14.0 13.8 12.0	* * * * * * * * * * * * * * * * * * *	0 10 15 3 13 13 6,261 1,524 1,241 996	* * * * * 12.2 9.0 8.8 7.6
Total All Race/Ethnic Groups	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	21,982 27,885 28,949 28,282 27,307 26,634 25,116 24,576 32,258 23,891	9.4 9.7 9.3 9.8 10.1 10.1 10.2 10.0 10.2 9.8	4.4 4.3 4.5 4.2 4.5 4.6 4.4 4.7 4.9 5.0	63,112 119,363 120,028 106,404 102,358 96,683 93,297 92,763 118,736 81,289	8.0 8.3 8.0 8.4 8.6 8.7 8.7 8.5 8.4	2.7 2.3 2.3 2.2 2.1 2.3 2.0 2.2 2.8 3.2	7.5 7.5 7.5 7.3 7.3 7.2 7.6 7.7 7.8 7.4	27,529 52,292 51,659 43,476 40,432 37,111 35,758 36,113 50,773 32,878	14.2 14.1 14.5 14.4 14.6 14.7 15.0 14.6 13.6	10.0 9.1 9.0 9.4 9.7 9.6 9.7 9.6 9.4 8.7	0 71,978 72,602 58,958 57,157 51,974 49,072 50,135 51,116 45,253	* 12.4 13.1 11.9 12.6 12.1 10.2 7.5 7.8 7.4

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the analysis.

<sup>(5)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(6)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>(7)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 31 Run Date: 9 / 13 / 12

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	6,758 9,016 9,197 8,474 8,292 7,795 6,686 8,514 11,457 8,656	79.8 78.7 77.6 76.3 75.3 74.8 74.7 72.8 69.9 71.2	0 7,672 7,565 7,001 6,570 6,015 4,902 7,170 6,072 3,247	* 30.5 30.9 28.5 27.8 29.9 28.9 27.4 27.0 26.2	0 5,223 5,310 4,977 4,407 4,184 3,784 5,311 5,478 4,463	* 20.9 20.5 17.3 17.3 18.8 19.6 17.5 15.5 13.7
Black, Not Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	1,376 2,063 2,071 1,977 1,934 1,812 1,484 1,651 2,201 1,555	74.5 73.2 70.7 69.1 67.6 68.2 64.1 62.7 62.3 59.0	0 1,689 1,656 1,581 1,485 1,395 981 1,252 1,204 493	25.2 25.6 24.4 22.5 22.9 21.5 17.5 17.9 18.5	0 1,064 1,114 1,177 877 839 697 913 838 657	* 16.9 14.0 14.8 12.5 13.1 15.1 11.6 9.4 8.8



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 32 Run Date: 9 / 13 / 12

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	10,808 15,278 16,199 16,448 15,666 15,645 12,843 12,872 16,836 12,558	78.2 77.7 76.4 75.7 74.9 75.1 74.4 74.0 71.7	0 13,086 13,808 13,656 12,946 12,312 9,033 10,529 9,324 4,040	28.7 29.5 28.3 27.1 29.4 29.0 28.4 28.2 26.4	0 9,701 10,608 10,620 9,270 8,431 7,215 8,124 8,499 5,917	* 18.4 18.4 15.8 16.6 19.0 18.9 17.5 15.7 13.0
American Indian/Alaska Native	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	151 202 233 207 243 268 182 128 195 144	82.8 85.6 79.8 76.3 76.1 76.1 78.6 75.8 72.8 70.1	0 170 199 192 216 175 116 110 109	* 31.2 34.2 32.3 26.9 27.4 24.1 36.4 28.4 *	0 162 134 168 173 135 101 107 93	23.5 26.9 21.4 15.0 18.5 24.8 22.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

9 / 13 / 12

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)										
Race/Ethnicity and Year		Breastfeeding (4)								
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months			
Asian/Pacific Islander	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	437 483 482 398 380 408 358 341 564 383	74.6 74.3 71.2 72.1 70.0 58.1 59.8 60.1 57.6 51.4	0 409 392 383 327 295 240 309 292 105	* 32.0 29.6 31.3 21.7 23.1 23.8 18.4 19.5 18.1	0 271 256 238 212 185 168 262 243 151	22.9 24.6 18.9 16.5 17.3 17.3 12.2 14.0 8.6			
Multiple Races	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	479 843 776 782 795 708 574 0	75.2 73.0 76.7 72.0 70.8 71.5 72.5	0 694 639 735 678 611 331 0 0	27.7 27.4 25.4 23.5 26.0 25.4 *	0 537 623 599 497 482 260 0 0	* 18.1 18.3 13.2 16.7 15.8 14.6 *			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 34 Run Date: 9 / 13 / 12

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)										
Race/Ethnicity and Year			Breastfeeding (4)							
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months			
All Other/Unknown	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	8 19 22 18 14 24 3,011 1,097 1,055 604	* * * 72.8 73.7 69.9 73.7	0 23 31 13 20 17 4,790 832 516 207	*  *  29.1  27.4  28.1  23.7	0 2 6 1 8 10 2,121 570 414 292	* * * 19.8 18.1 15.9 16.8			
Total All Race/Ethnic Groups	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	20,017 27,904 28,980 28,304 27,324 26,660 25,138 24,603 32,308 23,900	78.4 77.5 76.4 75.3 74.3 74.2 73.5 72.6 70.1 70.7	0 23,743 24,290 23,561 22,242 20,820 20,393 20,202 17,517 8,149	29.1 29.6 28.1 26.8 28.9 28.5 27.2 26.9 25.7	0 16,960 18,051 17,780 15,444 14,266 14,346 15,287 15,565 11,577	* 19.2 18.9 16.1 16.6 18.5 19.0 17.1 15.4 13.2			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 35 Run Date: 9 / 13 / 12

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Age and Year *		Height and Weight (4,5)						Age and Year *			Height a	nd Wei	ght (4,5)		
		Short Stature	Under- weight	Obese	O۱	≥ 2 Yrs verweight an Obese	d		S	Short tature	Under- weight	Obese	Ov	≥ 2 Yrs verweight an Obese	d
	Number	%	%	%	Number	% Overweight	% Obese		Number	%	%	%	Number	% Overweight	% Obese
0 - 11 Months								24 - 35 Months							
2011	23,104	11.7	2.5	4.2	0	*	*	2011	10,156	5.3	3.6	8.8	10,156	13.5	8.8
2010	44,903	12.8	1.9	5.0	0	*	*	2010	19,267	5.0	3.2	8.3	19,267	14.0	8.3
2009	45,645	12.0	1.9	5.5	0	*	*	2009	19,848	4.7	3.2	8.2	19,848	13.9	8.2
2008	41,729	12.4	1.9	5.1	0	*	*	2008	16,772	5.1	3.3	8.2	16,772	14.1	8.2
2007	42,908	12.3	1.8	5.0	0	*	*	2007	15,612	5.2	3.0	8.7	15,612	14.1	8.7
2006	41,223	12.1	2.0	4.9	0	*	*	2006	14,376	5.3	3.4	8.5	14,376	14.4	8.5
2005	39,446	12.2	1.7	5.6	0	*	*	2005	13,598	5.3	3.1	8.3	13,598	14.6	8.3
2004	38,099	12.0	2.0	5.8	0	*	*	2004	13,636	5.8	3.0	8.7	13,636	14.6	8.7
2003	42,881	11.8	2.3	5.6	0	*	*	2003	20,041	5.8	3.8	8.9	20,041	13.6	8.9
2002	31,070	12.8	3.1	5.7	0	*	*	2002	12,661	5.8	4.5	8.1	12,661	13.1	8.1
12 - 23 Months								36 - 47 Months							
2011	12,479	8.5	0.9	7.8	0	*	*	2011	9,561	4.5	3.6	10.2	9,561	14.5	10.2
2010	22,168	8.2	0.6	8.6	0	*	*	2010	17,355	4.4	3.6	9.3	17,355	14.0	9.3
2009	22,724	8.2	0.5	8.2	0	*	*	2009	16,750	4.4	3.7	8.7	16,750	14.2	8.7
2008	21,199	8.5	0.7	7.6	0	*	*	2008	14,130	4.7	3.3	9.6	14,130	14.3	9.6
2007	19,018	8.4	0.7	7.4	0	*	*	2007	12,959	4.8	3.1	9.8	12,959	14.5	9.8
2006	18,349	8.3	0.7	7.7	0	*	*	2006	12,041	5.1	3.8	9.6	12,041	14.4	9.6
2005	18,093	8.6	0.6	7.8	0	*	*	2005	11,662	5.0	3.0	9.9	11,662	15.3	9.9
2004	18,551	7.8	0.7	7.9	0	*	*	2004	11,762	5.2	3.4	10.1	11,762	14.3	10.1
2003	25,082	8.4	8.0	8.1	0	*	*	2003	17,201	5.6	4.2	9.2	17,201	13.7	9.2
2002	17,341	8.5	8.0	8.1	0	*	*	2002	10,836	5.6	4.4	8.7	10,836	13.1	8.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2) Page: 36 Run Date: 9 / 13 / 12

Summary of Trends in										
Age and Year *	Height and Weight (4,5)									
		Short Stature	Under- weight	Obese	O <sup>,</sup>	≥ 2 Yrs verweight and Obese	d			
	Number	%	%	%	Number	% Overweight	% Obese			
48 - 59 Months										
2011	7,812	4.1	3.6	11.4	7,812	14.6	11.4			
2010	15,670	3.7	3.4	10.0	15,670	14.5	10.0			
2009	15,061	3.8	3.2	10.6	15,061	15.6	10.6			
2008	12,574	3.9	3.1	10.7	12,574	14.9	10.7			
2007	11,861	4.2	3.1	10.8	11,861	15.2	10.8			
2006	10,694	4.4	3.1	11.0	10,694	15.4	11.0			
2005	10,498	4.4	3.1	11.1	10,498	15.2	11.1			
2004	10,715	4.6	3.4	10.3	10,715	15.0	10.3			
2003	13,531	5.0	4.2	10.3	13,531	13.7	10.3			
2002	9,381	4.9	4.6	9.6	9,381	13.9	9.6			
Total All Age Groups										
2011	63,112	8.0	2.7	7.5	27,529	14.2	10.0			
2010	119,363	8.3	2.3	7.5	52,292	14.1	9.1			
2009	120,028	8.0	2.3	7.5	51,659	14.5	9.0			
2008	106,404	8.4	2.2	7.3	43,476	14.4	9.4			
2007	102,358	8.6	2.1	7.3	40,432	14.6	9.7			
2006	96,683	8.7	2.3	7.2	37,111	14.7	9.6			
2005	93,297	8.7	2.0	7.6	35,758	15.0	9.7			
2004	92,763	8.5	2.2	7.7	36,113	14.6	9.6			
2003	118,736	8.4	2.8	7.8	50,773	13.6	9.4			
2002	81,289	8.9	3.2	7.4	32,878	13.3	8.7			

Growth Indicators by Age (3)											
	Age and Year *	Height and Weight (4,5)									
			Short Stature	Under- weight	Obese	O	≥ 2 Yrs verweight and Obese	d			
		Number	%	%	%	Number	% Overweight	% Obese			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

<sup>(5)</sup> Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

2004

2003

2002

10,283

10,630

9,871

8.1

8.7

8.1

Run Date: 9 / 13 / 12

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

		Summa	ary of Tr	ds in Anemia by Age <sup>(3)</sup>		
Age and Year		Anen Low Hb	nia /Hct (4)	Age and Year	Anen Low Hb	_
		Number	%		Number	%
6 - 11 Months				18 - 23 Months		
	2011	0	*	2011	0	*
	2010	8,283	16.5	2010	9,852	13.5
	2009	8,029	17.0	2009	10,299	12.8
	2008	5,708	16.1	2008	8,695	11.5
	2007	7,015	15.4	2007	7,811	13.4
	2006	6,451	14.8	2006	7,447	12.4
	2005	5,954	12.1	2005	7,253	10.8
	2004	4,941	10.5	2004	7,306	7.2
	2003	5,751	11.0	2003	7,847	7.9
	2002	4,748	10.2	2002	6,488	7.5
12 - 17 Months				24 - 35 Months		
	2011	0	*	2011	0	*
	2010	13,945	15.9	2010	15,447	13.8
	2009	14,621	16.4	2009	15,880	15.0
	2008	13,434	14.7	2008	12,421	13.8
	2007	12,272	15.0	2007	12,097	14.8
	2006	11,278	14.0	2006	10,709	14.0
	2005	10,929	11.7	2005	9,862	11.8

2004

2003

2002

11,846

11,056

9,294

9.0

9.5

9.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 9 / 13 / 12

38

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

ļ—————————————————————————————————————						
		Summa	ary of Ti	Is in Anemia by Age <sup>(3)</sup>		
Age and Year		Anem Low Hb/	-	Age and Year	Anen Low Hb	nia o/Hct (4)
		Number	%		Number	%
36 - 59 Months	2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	0 24,451 23,773 18,700 17,962 16,089 15,074 15,759 15,832 14,852	* 7.7 8.7 7.6 8.1 8.4 7.1 5.0 4.9 4.5	Total All Age Groups  2011 2010 2009 2008 2007 2006 2005 2004 2003 2002	0 71,978 72,602 58,958 57,157 51,974 49,072 50,135 51,116 45,253	* 12.4 13.1 11.9 12.6 12.1 10.2 7.5 7.8 7.4
All Other/Unknown	2011 2010 2009 2008 2007 2006 2005 2004	0 0 0 0 0 0	* * * * * * *			

2003 2002 0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.